




**RWsearch: a package for CRAN users
and task view maintainers**

patrice.kiener@inmodelia.com



The probability distribution task view

- 120 – 140 new packages per month in CRAN
- About 10 of them cite distributions or introduce a new distribution
- We want to detect these packages as early as possible
- And, eventually, add these new packages in the task view



CRAN Task View: Probability Distributions

Maintainer: Christophe Dutang, Patrice Kiener

Contact: Christophe.Dutang at ensimag.fr

Version: 2019-05-12

URL: <https://CRAN.R-project.org/view=Distributions>

For most of the classical distributions, base R provides probability distribution functions (p), density functions (d), quantile functions (q), and random number generation (r). Beyond this basic functionality, many CRAN packages provide additional useful distributions. In particular, multivariate distributions as well as copulas are available in contributed packages.

Ultimate bibles on probability distributions are:

CRAN by Date : 23 uploaded packages in one day

Web cran.univ-paris1.fr/web/packages/available_packages_by_date.html Recherche avec Qwant

Available CRAN Packages By Date of Publication

| Date | Package | Title |
|------------|----------------------------------|---|
| 2019-07-11 | altair | Interface to 'Altair' |
| 2019-07-11 | AsyK | Density Estimation by Using Asymmetrical Kernels |
| 2019-07-11 | BNPdensity | Ferguson-Klass Type Algorithm for Posterior Normalized Random Measures |
| 2019-07-11 | commonsMath | JAR Files of the Apache Commons Mathematics Library |
| 2019-07-11 | cowplot | Streamlined Plot Theme and Plot Annotations for 'ggplot2' |
| 2019-07-11 | DEEVD | Density Estimation for Extreme Value Distribution |
| 2019-07-11 | DELTD | Density Estimation by Life Time Distributions |
| 2019-07-11 | genlasso | Path Algorithm for Generalized Lasso Problems |
| 2019-07-11 | ICAMS | In-depth Characterization and Analysis of Mutational Signatures ('ICAMS') |
| 2019-07-11 | jackalope | A Swift, Versatile Phylogenomic and High-Throughput Sequencing Simulator |
| 2019-07-11 | kdensity | Kernel Density Estimation with Parametric Starts and Asymmetric Kernels |
| 2019-07-11 | microseq | Basic Biological Sequence Handling |
| 2019-07-11 | mize | Unconstrained Numerical Optimization Algorithms |
| 2019-07-11 | NeuralSens | Sensitivity Analysis of Neural Networks |
| 2019-07-11 | NPP | Normalized Power Prior Bayesian Analysis |
| 2019-07-11 | packageRank | Computation and Visualization of Package Download Counts and Percentiles |
| 2019-07-11 | raster | Geographic Data Analysis and Modeling |
| 2019-07-11 | rayshader | Create and Visualize Hillshaded Maps from Elevation Matrices |
| 2019-07-11 | readwritessqlite | Enhanced Reading and Writing for 'SQLite' Databases |
| 2019-07-11 | redlistr | Tools for the IUCN Red List of Ecosystems and Species |
| 2019-07-11 | rehh | Searching for Footprints of Selection using 'Extended Haplotype Homozygosity' Based Tests |
| 2019-07-11 | rematch2 | Tidy Output from Regular Expression Matching |
| 2019-07-11 | utile.visuals | Create Visuals for Publication |
| 2019-07-10 | asymmetry | Multidimensional Scaling of Asymmetric Data |

Package ‘RWsearch’

May 29, 2019

Title Lazy Search in R Packages, Task Views, CRAN, the Web. All-in-One Download

Description Search by keywords in R packages, task views, CRAN, the web and display the results in console, txt, html or pdf pages. Download the whole documentation (html index, pdf manual, vignettes, source code, etc) with a single instruction. Visualize the package dependencies. Several functions for task view maintenance and exploration of CRAN archive. Quick links to more than 70 web search engines. Lazy evaluation of non-standard content is available throughout the package and eases the use of many functions.

Version 4.6

Date 2019-05-29

Depends R (>= 3.4.0)

Imports brew, latexpdf, networkD3, sig, sos, XML

Suggests ctv, cranly, findR, foghorn, knitr, pacman, pkgnet, rmarkdown

License GPL-2

Maintainer Patrice Kiener <fattailsr@inmodelia.com>

NAMESPACE ⇒ 166 exported functions (70 for the web)

- Explore the **CRAN**
 - Discover (every day) the removed, **new** and **updated** packages
 - **Search** for packages by date, by **author** + **maintainer**
 - **Search** for packages by **keywords**
 - Visualize package **dependencies** (parent, children)
 - **Download** the package documentation
 - Search for packages in **Task Views** + TV maintenance
- Explore the **WEB**
 - More than 70 **bookmarks**/favorites
- Non-Standard Evaluation everywhere (no need to quote words)

library(RWsearch)

```
> tvdb_down()
tvdb.rda saved. tvdb loaded. 40 task views listed between 2015-01-07 and 2019-07-03
> (lst <- crandb_down()) # 20 seconds
$newfile
[1] "crandb.rda saved and loaded. 14498 packages listed between 2006-03-15 and 2019-07-04"
[2] "7 removed, 13 new, 41 refreshed, 54 uploaded packages."

$soldfile
[1] "crandb.rda 14492 packages listed between 2006-03-15 and 2019-07-03"

$removed_packages
[1] "bujar"          "ggpval"         "lazytrade"      "learningCurve"  "mpath"          "mrgsolve"
[7] "tricolore"

$new_packages
 [1] "alfr"          "cassandRa"     "kernelTDA"     "modeLLtest"    "psychNET"      "retractcheck"  "RKHSMetaMod"
 [8] "RPEIF"        "sdcSpatial"   "semnar"        "snahelper"     "socceR"        "xlink"

$uploaded_packages
 [1] "afex"          "alfr"          "BayesianFROC"  "blockForest"   "cassandRa"
 [6] "compound.Cox" "coxme"         "dad"           "expoRkit"      "FactoInvestigate"
[11] "FactoMineR"   "factorMerger" "foieGras"     "fextract"      "gam"
[16] "GGIR"         "ggmcmc"       "GWmodel"      "heemod"        "hesim"
[21] "jstable"     "kernelTDA"   "KScorrect"    "lavaan"        "LeafArea"
[26] "MarketMatching" "marmap"      "modeLLtest"   "nopaco"        "Omisc"
[31] "plot.matrix"  "processx"     "PRSim"        "psychNET"      "radin"
[36] "rbacon"      "RcppAlgos"   "retractcheck" "RKHSMetaMod"  "RPEIF"
[41] "RSGHB"       "SAFD"        "sdcSpatial"   "semnar"        "sf"
[46] "shallot"     "simmr"       "SmartEDA"     "snahelper"     "socceR"
[51] "vip"         "WebGestaltR" "xlink"        "zip"
```

p_table2(pkgs) ⇒ Package Name + Title


```
> pkgs <- lst$new_packages ; pkgs
[1] "alfr"      "cassandra"  "kernelTDA"  "modeLLtest" "psychNET"   "retractcheck" "RKHSMetaMod" "RPEIF"
[9] "sdcSpatial" "semnar"    "snahelper"  "soccer"     "xlink"
> p_table2(pkgs)
  Package Title
206 alfr Connectivity to 'Alfresco' Content Management Repositories
1457 cassandra Finds Missing Links and Metric Confidence Intervals in Ecological Bipartite Networks
6163 kernelTDA Statistical Learning with Kernel for Persistence Diagrams
7569 modeLLtest Compare Models with Cross-Validated Log-Likelihood
9706 psychNET Psychometric Networks for Intensive Longitudinal Data
10639 retractcheck Retraction Scanner
10848 RKHSMetaMod Ridge Group Sparse Optimization Problem for Estimation of a Meta Model Based on Reproducing Kernel Hilb
11168 RPEIF Computation and Plots of Influence Functions for Risk and Performance Measures
11720 sdcSpatial Statistical Disclosure Control for Spatial Data
11829 semnar Constructing and Interacting with Databases of Presentations
12285 snahelper 'RStudio' Addin for Network Analysis and Visualization
12322 soccer Evaluating Sport Tournament Predictions
14371 xlink Genetic Association Models for X-Chromosome SNPs on Continuous, Binary and Survival Outcomes
```

`p_display5(pkgs)` ⇒ Table 5 cols in browser

file:///C:/Users/Patrice/AppData/Local/Temp/RtmpQIEuJr/Packages.html

| Package | Title | Description | Author | Maintainer |
|------------|--|---|---|------------------|
| alfr | Connectivity to 'Alfresco' Content Management Repositories | Allows you to connect to an 'Alfresco' content management repository and interact with its contents using simple and intuitive functions. You will be able to establish a connection session to the 'Alfresco' repository, read and upload content and manage folder hierarchies. For more details on the 'Alfresco' content management repository see . | Roy Wetherall | Roy Wetherall |
| cassandRa | Finds Missing Links and Metric Confidence Intervals in Ecological Bipartite Networks | Provides methods to deal with under sampling in ecological bipartite networks. Includes tools to fit a variety of statistical network models and sample coverage estimators to highlight most likely missing links. Also includes simple functions to resample from observed networks to generate confidence intervals for common ecological network metrics. | Chris Terry [aut, cre] | Chris Terry |
| kernelTDA | Statistical Learning with Kernel for Persistence Diagrams | Provides tools for exploiting topological information into standard statistical learning algorithms. To this aim, this package contains the most popular kernels defined on the space of persistence diagrams, and persistence images. Moreover, it provides a solver for kernel Support Vector Machines problems, whose kernels are not necessarily positive semidefinite, based on the C++ library 'LIBSVM' , and on its R implementation 'e1071'. Additionally, it allows to compute Wasserstein distance between persistence diagrams with an arbitrary ground metric, building an R interface for the C++ library 'HERA' . | Tullia Padellini [aut, cre], Francesco Palini [aut], Pierpaolo Brutti [ctb], David Meyer [ctb, cph] (libsvm to R code (e1071 package)), Chih-Chung Chang [ctb, cph] (LIBSVM C++ code), Chih-Chen Lin [ctb, cph] (LIBSVM C++ code), Michael Kerber [ctb, cph] (HERA C++ code), Dmitriy Morozov [ctb, cph] (HERA C++ code), Arnur Nigmatov [ctb, cph] (HERA C++ code) | Tullia Padellini |
| modelLtest | Compare Models with Cross-Validated | An implementation of the cross-validated difference in means (CVDM) test by Desmarais and Harden (2014) (see also Harden and Desmarais, 2011) and the cross-validated median fit (CVMF) test by Desmarais and Harden (2012) . These tests use leave-one-out cross-validated log likelihoods to assist in selection among model estimations. You can also utilize data from | Shana Scogin , Sarah Petersen , Jeff Harden , Bruce A. | Shana Scogin |

p_page(pkgs) ⇒ Package pages of your repo



The screenshot shows a web browser window with the address bar displaying `https://cran.univ-paris1.fr/web/packages/alfr/index.html`. The page title is "alfr: Connectivity to 'Alfresco' Content Management Repositories". The main content area contains a description of the package, followed by a list of metadata fields such as Version, Depends, Imports, Suggests, Published, Author, Maintainer, BugReports, License, URL, NeedsCompilation, SystemRequirements, Materials, and CRAN checks. Below the metadata, there are sections for Downloads, Reference manual, Vignettes, Package source, Windows binaries, OS X binaries, and Linking. The Linking section includes a note about the canonical form of the URL.

alfr: Connectivity to 'Alfresco' Content Management Repositories

Allows you to connect to an 'Alfresco' content management repository and interact with its contents using simple and intuitive functions. You will be able to establish a connection session to the 'Alfresco' repository, read and upload content and manage folder hierarchies. For more details on the 'Alfresco' content management repository see <<https://www.alfresco.com/ecm-software/document-management>>.

Version: 1.1.0
Depends: R (≥ 3.5.0)
Imports: [httr](#), [jsonlite](#), [magrittr](#)
Suggests: [devtools](#), [httptest](#), [roxygen2](#), [testthat](#), [knitr](#), [rmarkdown](#), [covr](#), [remotes](#)
Published: 2019-07-03
Author: Roy Wetherall
Maintainer: Roy Wetherall <rwetherall@gmail.com>
BugReports: <https://github.com/rwetherall/alfr/issues>
License: [GPL-3](#) | file [LICENSE](#)
URL: <https://github.com/rwetherall/alfr>
NeedsCompilation: no
SystemRequirements: Alfresco Content Repository (Community or Enterprise)
Materials: [README](#) [NEWS](#)
CRAN checks: [alfr results](#)


Downloads:

Reference manual: [alfr.pdf](#)
Vignettes: [working_with_content](#)
Package source: [alfr_1.1.0.tar.gz](#)
Windows binaries: r-devel: [not available](#), r-release: [not available](#), r-oldrel: [not available](#)
OS X binaries: r-release: [not available](#), r-oldrel: [not available](#)

Linking:

Please use the canonical form <https://CRAN.R-project.org/package=alfr> to link to this page.

p_page(pkgs) ⇒ Package pages of your repo




The screenshot shows a web browser window with the address bar displaying `https://cran.univ-paris1.fr/web/packages/xlink/index.html`. The page title is "xlink: Genetic Association Models for X-Chromosome SNPs on Continuous, Binary and Survival Outcomes". The main text describes the package's purpose and cites the authors: Wei Xu, Meiling Hao (2017) <doi:10.1002/gepi.22097>. Below the text is a list of package metadata:

- Version: 1.0.0
- Depends: R (≥ 3.1.0)
- Imports: [survival](#) (≥ 2.41.3)
- Suggests: [knitr](#), [rmarkdown](#), [testthat](#)
- Published: 2019-07-03
- Author: Wei Xu [aut], Meiling Hao [aut], Yi Zhu [cre]
- Maintainer: Yi Zhu <yizhu87 at gmail.com>
- BugReports: <https://github.com/qjuanzhu/xlink/issues>
- License: [GPL-2](#)
- URL: <https://github.com/qjuanzhu/xlink>
- NeedsCompilation: no
- Materials: [NEWS](#)
- CRAN checks: [xlink results](#)




Below the metadata, there are sections for "Downloads:", "Reference manual: [xlink.pdf](#)", "Vignettes: [An Introduction to xlink](#)", "Package source: [xlink_1.0.0.tar.gz](#)", "Windows binaries: r-devel: [not available](#), r-release: [not available](#), r-oldrel: [not available](#)", "OS X binaries: r-release: [not available](#), r-oldrel: [not available](#)", and "Linking:". The "Linking:" section contains the text: "Please use the canonical form <https://CRAN.R-project.org/package=xlink> to link to this page."

Save the package descriptions in a local file

- `p_table2pdf()` ⇒ table format
- `p_text2pdf()` ⇒ pdf format
- `p_text()` ⇒ txt or markdown format



« D:\DevRDoc\Doc-pkgs\RWpkgs

| Nom | Extension | Modifié | Taille |
|---|-----------|---------------------|--------|
|  2019-0704-tb7pkgs.pdf | pdf | 04/07/2019 22:55:53 | 40 777 |
|  2019-0704-texpkgs.pdf | pdf | 04/07/2019 22:56:35 | 55 440 |
|  2019-0704-txtpkgs.txt | txt | 04/07/2019 22:57:16 | 14 377 |

2019-0704-tb7pkgs.pdf

Page: 1 / 5

Rechercher:

| Package | Version | Published | Title | Description | Author | Maintainer |
|-----------|---------|------------|--|--|---|---|
| alfr | 1.1.0 | 2019-07-03 | Connectivity to 'Alfresco' Content Management Repositories | Allows you to connect to an 'Alfresco' content management repository and interact with its contents using simple and intuitive functions. You will be able to establish a connection session to the 'Alfresco' repository, read and upload content and manage folder hierarchies. For more details on the 'Alfresco' content management repository see < https://www.alfresco.com/ecm-software/document-management >. | Roy Wetherall < rwetherall@gmail.com > | Roy Wetherall < rwetherall@gmail.com > |
| cassandRa | 0.1.0 | 2019-07-03 | Finds Missing Links and Metric Confidence Intervals in Ecological Bipartite Networks | Provides methods to deal with under sampling in ecological bipartite networks. Includes tools to fit a variety of statistical network models and sample coverage estimators to highlight most likely missing links. Also includes simple functions to resample from observed networks to generate confidence intervals for common ecological network metrics. | Chris Terry [aut, cre] | Chris Terry < christerry3@btinternet.com > |
| kernelTDA | 0.1.1 | 2019-07-03 | Statistical Learning with Kernel for Persistence Diagrams | Provides tools for exploiting topological information into standard statistical learning algorithms. To this aim, this package contains the most popular kernels defined on the space of persistence diagrams, and persistence images. Moreover, it provides a solver for kernel Support Vector Machines problems, whose kernels are not necessarily positive semidefinite, based on the C++ library 'LIBSVM' < https://www.csie.ntu.edu.tw/~cjlin/libsvm/ >, and on its R implementation 'e1071'. Additionally, it allows to compute Wasserstein distance between persistence diagrams with an arbitrary ground metric, building an R interface for the C++ library 'HERA' < https://bitbucket.org/grey_narr/hera/src/master/ > | Tullia Padellini [aut, cre], Francesco Palini [aut], Pierpaolo Brutti [ctb], David Meyer [ctb, cph] (libsvm to R code (e1071 package)), Chih-Chung Chang [ctb, cph] (LIBSVM C++ code), Chih-Chen Lin [ctb, cph] (LIBSVM C++ code), Michael Kerber [ctb, cph] (HERA C++ code), Dmitriy Morozov [ctb, cph] (HERA C++ code), Arnar Nigmatov [ctb, cph] (HERA C++ code) | Tullia Padellini < tullia.padellini@uniroma1.it > |

2019-0704-texpkgs.pdf

Page : 1 / 5

Rechercher :

1 alfr

alfr: Connectivity to 'Alfresco' Content Management Repositories
 Allows you to connect to an 'Alfresco' content management repository and interact with its contents using simple and intuitive functions. You will be able to establish a connection session to the 'Alfresco' repository, read and upload content and manage folder hierarchies. For more details on the 'Alfresco' content management repository see <<https://www.alfresco.com/ecm-software/document-management.>>
 Depends: R (>= 3.5.0)
 Imports: httr, jsonlite, magrittr
 Suggests: devtools, httpptest, roxygen2, testthat, knitr, rmarkdown, covr, remotes
 Version: 1.1.0
 Published: 2019-07-03
 Maintainer: Roy Wetherall <rwetherall@gmail.com>
<https://cran.univ-paris1.fr/web/packages/alfr/index.html>
<https://cran.univ-paris1.fr/web/packages/alfr/alfr.pdf>
<https://cran.univ-paris1.fr/web/packages/alfr/readme/README.html>
<https://cran.univ-paris1.fr/web/packages/alfr/news/news.html>
https://cran.univ-paris1.fr/web/packages/alfr/vignettes/working_with_content.html

2 cassandRa

cassandRa: Finds Missing Links and Metric Confidence Intervals in Ecological Bipartite Networks
 Provides methods to deal with under sampling in ecological bipartite networks. Includes tools to fit a variety of statistical network models and sample coverage estimators to highlight most likely missing links. Also includes simple functions to resample from observed networks to generate confidence intervals for common ecological network metrics.
 Depends: NA
 Imports: bipartite (>= 2.11), reshape2 (>= 1.4.3), magrittr (>= 1.5), vegan (>= 2.5-3), purrr (>= 0.2.5), dplyr, tidyr (>= 0.8), ggplot2 (>= 3.1.0), boot
 Suggests: knitr (>= 1.20), rmarkdown (>= 1.10), pROC (>= 1.13.0), lattice
 Version: 0.1.0
 Published: 2019-07-03
 Maintainer: Chris Terry <christerry3@btinternet.com>
<https://cran.univ-paris1.fr/web/packages/cassandRa/index.html>
<https://cran.univ-paris1.fr/web/packages/cassandRa/cassandRa.pdf>
<https://cran.univ-paris1.fr/web/packages/cassandRa/readme/README.html>
<https://cran.univ-paris1.fr/web/packages/cassandRa/news/news.html>
<https://cran.univ-paris1.fr/web/packages/cassandRa/vignettes/introduction.html>

p_text(pkgs), p_text2md(pkgs)

```
2019-0704-btpkgs.bt x
1
2
3 == alfr ==
4 alfr: Connectivity to 'Alfresco' Content Management Repositories
5 Allows you to connect to an 'Alfresco' content management repository and interact with its contents using simple and
intuitive functions. You will be able to establish a connection session to the 'Alfresco' repository, read and upload
content and manage folder hierarchies. For more details on the 'Alfresco' content management repository see <
https://www.alfresco.com/ecm-software/document-management>.
6 Depends: R (>= 3.5.0)
7 Imports: httr, jsonlite, magrittr
8 Suggests: devtools, httpptest, roxygen2, testthat, knitr, rmarkdown,
9 covr, remotes
10 Version: 1.1.0
11 Published: 2019-07-03
12 Maintainer: Roy Wetherall <rwetherall@gmail.com>
13 https://cran.univ-paris1.fr/web/packages/alfr/index.html
14 https://cran.univ-paris1.fr/web/packages/alfr/alfr.pdf
15 https://cran.univ-paris1.fr/web/packages/alfr/readme/README.html
16 https://cran.univ-paris1.fr/web/packages/alfr/news/news.html
17 https://cran.univ-paris1.fr/web/packages/alfr/vignettes/working\_with\_content.html
18
19
20 == cassandra ==
21 cassandra: Finds Missing Links and Metric Confidence Intervals in Ecological Bipartite Networks
22 Provides methods to deal with under sampling in ecological bipartite networks. Includes tools to fit a variety of
statistical network models and sample coverage estimators to highlight most likely missing links. Also includes simple
functions to resample from observed networks to generate confidence intervals for common ecological network metrics.
23 Depends: NA
24 Imports: bipartite (>= 2.11), reshape2 (>= 1.4.3), magrittr (>= 1.5),
25 vegan (>= 2.5-3), purrr (>= 0.2.5), dplyr, tidy (>= 0.8),
26 ggplot2 (>= 3.1.0), boot
27 Suggests: knitr (>= 1.20), rmarkdown (>= 1.10), pROC (>= 1.13.0),
28 lattice
29 Version: 0.1.0
30 Published: 2019-07-03
31 Maintainer: Chris Terry <christerry3@btinternet.com>
32 https://cran.univ-paris1.fr/web/packages/cassandra/index.html
33 https://cran.univ-paris1.fr/web/packages/cassandra/cassandra.pdf
34 https://cran.univ-paris1.fr/web/packages/cassandra/readme/README.html
35 https://cran.univ-paris1.fr/web/packages/cassandra/news/news.html
36 https://cran.univ-paris1.fr/web/packages/cassandra/vignettes/introduction.html
37
38
39 == kernelTDA ==
40 kernelTDA: Statistical Learning with Kernel for Persistence Diagrams
41 Provides tools for exploiting topological information into standard statistical learning algorithms. To this aim, this
package contains the most popular kernels defined on the space of persistence diagrams, and persistence images.
```

p_down(pkgs) ⇒ Download the documentation


- index.html, manual.pdf, README, NEWS, Vignettes, package.tar.gz
- 41 files in less than a minute

| « D:\DevRDoc\Doc-pkgs\RWpkgs | | | |
|-------------------------------------|-----------|---------------------|---------|
| Nom | Extension | Modifié | Taille |
| 2019-0704-tb7pkgs.pdf | pdf | 04/07/2019 22:55:53 | 40 777 |
| 2019-0704-texpkgs.pdf | pdf | 04/07/2019 22:56:35 | 55 440 |
| 2019-0704-txtpkgs.txt | txt | 04/07/2019 22:57:16 | 14 377 |
| alfr.html | html | 04/07/2019 23:06:21 | 3 770 |
| alfr.pdf | pdf | 04/07/2019 23:06:22 | 76 374 |
| alfr-README.html | html | 04/07/2019 23:06:24 | 4 737 |
| alfr-v-working_with_content.html | html | 04/07/2019 23:06:22 | 10 255 |
| cassandRa.html | html | 04/07/2019 23:06:25 | 4 049 |
| cassandRa.pdf | pdf | 04/07/2019 23:06:27 | 105 098 |
| cassandRa-README.html | html | 04/07/2019 23:06:29 | 792 |
| cassandRa-v-introduction.html | html | 04/07/2019 23:06:27 | 97 034 |
| kernelTDA.html | html | 04/07/2019 23:06:30 | 4 818 |
| kernelTDA.pdf | pdf | 04/07/2019 23:06:31 | 98 071 |
| kernelTDA-README.html | html | 04/07/2019 23:06:33 | 5 861 |
| kernelTDA-v-kernelTDA-vignette.html | html | 04/07/2019 23:06:31 | 176 441 |
| modelLtest.html | html | 04/07/2019 23:06:34 | 4 036 |
| modelLtest.pdf | pdf | 04/07/2019 23:06:35 | 144 264 |
| modelLtest-README.html | html | 04/07/2019 23:06:37 | 12 264 |
| modelLtest-v-getting_started.html | html | 04/07/2019 23:06:35 | 16 877 |
| psychNET.html | html | 04/07/2019 23:06:38 | 6 592 |
| psychNET.pdf | pdf | 04/07/2019 23:06:39 | 139 735 |

| « D:\DevRDoc\Doc-pkgs\RWpkgs | | | |
|---|-----------|---------------------|---------|
| Nom | Extension | Modifié | Taille |
| retractcheck.html | html | 04/07/2019 23:06:42 | 3 605 |
| retractcheck.pdf | pdf | 04/07/2019 23:06:42 | 84 549 |
| retractcheck-README.html | html | 04/07/2019 23:06:44 | 10 430 |
| RKHSMetaMod.html | html | 04/07/2019 23:06:45 | 2 937 |
| RKHSMetaMod.pdf | pdf | 04/07/2019 23:06:46 | 214 186 |
| RPEIF.html | html | 04/07/2019 23:06:49 | 3 616 |
| RPEIF.pdf | pdf | 04/07/2019 23:06:50 | 111 342 |
| RPEIF-README.html | html | 04/07/2019 23:06:52 | 8 237 |
| RPEIF-v-RPEIFVignette.pdf | pdf | 04/07/2019 23:06:50 | 259 172 |
| sdcSpatial.html | html | 04/07/2019 23:06:53 | 4 378 |
| sdcSpatial.pdf | pdf | 04/07/2019 23:06:54 | 117 099 |
| sdcSpatial-v-privacy_protecting_maps.html | html | 04/07/2019 23:06:54 | 178 893 |
| seminar.html | html | 04/07/2019 23:06:57 | 3 813 |
| seminar.pdf | pdf | 04/07/2019 23:06:57 | 97 757 |
| seminar-README.html | html | 04/07/2019 23:06:59 | 9 767 |
| snahelper.html | html | 04/07/2019 23:07:00 | 3 896 |
| snahelper.pdf | pdf | 04/07/2019 23:07:01 | 60 798 |
| snahelper-README.html | html | 04/07/2019 23:07:03 | 11 377 |
| socceR.html | html | 04/07/2019 23:07:04 | 3 388 |
| socceR.pdf | pdf | 04/07/2019 23:07:05 | 88 077 |
| xiink.html | html | 04/07/2019 23:07:08 | 4 187 |
| xiink.pdf | pdf | 04/07/2019 23:07:08 | 95 111 |
| xiink-v-xiink.html | html | 04/07/2019 23:07:09 | 27 016 |


n_graphF(p_network(alfr)) ⇒ P. dependencies

file:///C:/Users/Patrice/AppData/Local/Temp/RtmpQIEuJr/viewhtml9fc11f252b0/index.html




```
n_graphF(p_network(actuar, fitdistrplus,
reverse = TRUE))
```

file:///C:/Users/Patrice/AppData/Local/Temp/RtmpQlEujr/viewhtml9fc26b3c1e/index.html



s_crandb("neural net") ⇒ Simple search

- P ⇒ Package
- T ⇒ Title
- D ⇒ Description

```
> s_crandb("neural net", select = "PTD")
[1] "AMORE"          "ANN2"          "appnn"         "autoencoder"   "automl"
[6] "BNN"           "brnn"         "Buddle"       "CaDENCE"       "cld2"
[11] "cld3"          "condmixt"     "DALEX2"       "DamiaNN"       "DChaos"
[16] "deepnet"      "deepNN"      "DNMF"         "elmNNRcpp"     "ELMR"
[21] "EnsembleBase" "evclass"     "gamlss.add"   "gcForest"      "GMDH"
[26] "GMDH2"        "GMDHreg"     "grnn"         "h2o"           "hybridEnsemble"
[31] "isingLenzMC"  "keras"       "kerasformula" "kerasR"        "leabRa"
[36] "learNN"       "LilRhino"    "monmlp"      "neural"        "neuralnet"
[41] "NeuralNetTools" "NeuralSens" "NlinTS"      "nnet"          "nnetpredint"
[46] "nnfor"        "onnx"        "OptimClassifier" "OSTSC"        "pnn"
[51] "polyreg"      "predictoR"   "qrnn"        "QuantumOps"   "quarrint"
[56] "radiant.model" "rasclass"    "rcane"       "regressorR"   "rminer"
[61] "rnn"          "RSNNS"      "ruta"        "simpleNeural"  "snnR"
[66] "softmaxreg"   "Sojourn.Data" "spnn"        "TeachNet"     "tensorflow"
[71] "tfestimators" "trackdem"    "TrafficBDE"  "tsenssembler" "validann"
>
```

s_crandb_list(search, find, error, select = "P")

- P ⇒ Package
- T ⇒ Title
- D ⇒ Description

```
> s_crandb_list(search, find, error, select = "P")
$search
 [1] "AutoSEARCH"      "bsearchtools"    "CRANsearcher"    "dosearch"        "elasticsearchr"
 [6] "FBFsearch"       "ForwardSearch"   "lavaSearch2"     "pdfsearch"       "pkgsearch"
[11] "randomsearch"    "rncdsearch"      "RWsearch"        "searchable"      "searchConsoleR"
[16] "searcher"        "SearchTrees"     "tabuSearch"      "TreeSearch"      "uptasticsearch"
[21] "VetResearchLMM" "websearchr"

$find
 [1] "colorfindr"      "DNetFinder"      "DoseFinding"     "echo.find"
 [5] "featurefinder"   "FindAllRoots"    "FindIt"          "findpython"
 [9] "findR"           "findviews"       "geneSignatureFinder" "LncFinder"
[13] "MoonFinder"     "packagefinder"   "pathfindR"      "TCIApathfinder"
[17] "wfindr"

$error
 [1] "errorist"      "errorizer"      "errorlocate"    "errors"          "ipwErrorY"      "merron"
 [7] "PeakError"    "sperrorest"
```

s_crandb_list(Dutang, Kiener, select = "AM")

- A ⇒ Author
- M ⇒ Maintainer

```
> s_crandb_list(Dutang, Kiener, select = "AM")
$Dutang
 [1] "actuar"          "biglmm"          "ChainLadder"     "expm"
 [5] "fitdistrplus"   "GNE"             "gumbel"          "lifecontingencies"
 [9] "mbbafd"         "plotrix"         "POT"             "randtoolbox"
[13] "rhosp"          "rngWELL"         "RTDE"            "tsallisqexp"

$Kiener
 [1] "DiceDesign" "FatTailsR" "RWsearch"

>
```

- Chairman Hadley Wickham ⇒ 139 packages as author, 46 as maintainer.

```
s_crandb_tvdb(probability, distribution, tv =
"Distributions", select = "PT", from = -30)
```

- 2 packages are already listed in the task view
- 24 packages require some inspection
- and after inspection AND test, might be listed in the task view

```
> s_crandb_tvdb(probability, distribution, tv = "Distributions", select = "PT", from = -30)
$spkgs
 [1] "bayestestR"      "CholWishart"      "distreg.vis"      "EstimationTools" "fastGraph"
 [6] "gld"            "hagis"            "jSDM"            "mev"              "mixSPE"
[11] "mvtnorm"        "NonProbEst"      "POD"            "probably"         "pvaluefunctions"
[16] "QDComparison"  "RNGforGPD"       "scModels"       "SDMtune"         "sdols"
[21] "shallot"       "SimJoint"        "SSDM"           "TPD"             "TSMSN"
[26] "UNPaC"

$inTV
 [1] "gld"      "mvtnorm"

$notinTV
 [1] "bayestestR"      "CholWishart"      "distreg.vis"      "EstimationTools" "fastGraph"
 [6] "hagis"          "jSDM"            "mev"              "mixSPE"         "NonProbEst"
[11] "POD"           "probably"        "pvaluefunctions" "QDComparison"   "RNGforGPD"
[16] "scModels"      "SDMtune"         "sdols"           "shallot"        "SimJoint"
[21] "SSDM"         "TPD"            "TSMSN"           "UNPaC"
```

Explore the WEB with 70+ bookmarks/Favorites (1)

A direct access to the web from within R

| | |
|---------------------|---------------------------------------|
| h_R() | R-project |
| h_cranbydate(repos) | CRAN by date |
| h_cranbyname(repos) | CRAN by package name |
| h_crantv() | CRAN Task Views |
| h_gepuro() | 40.000 R packages on GitHub |
| h_cranberries() | Cranberries Dirk Eddelbuettel |
| h_rbloggers() | R-Bloggers |
| h_rdoc() | RDocumentation packages |
| h_rdoctv() | RDocumentation task views |
| h_rdrri() | Rdrr.io |
| h_rseek() | Rseek |
| ... | ... |
| ... | ... |
| h_mw() | Meriam-Webster dictionary |
| h_lexilogos() | Hundred of dictionaries |
| h_linguee() | Multilingual translation dictionaries |
| h_reverso() | 13x12 translation engines |

Explore the WEB with 70+ bookmarks/Favorites (2)

| | |
|----------------------------|----------------------------------|
| <code>h_abcbourse()</code> | French stock markets |
| <code>h_arxiv()</code> | arXiv papers |
| <code>h_arxivpdf()</code> | arXiv papers in pdf format |
| <code>h_baidu()</code> | Chinese search engine |
| <code>h_bing()</code> | Bing search engine |
| <code>h_bmap()</code> | world maps by Bing |
| ... | ... |
| <code>h_osm()</code> | Open Street Map |
| <code>h_pipilika()</code> | Bengladesh search engine |
| <code>h_so()</code> | Stackoverflow |
| ... | ... |
| <code>h_wp()</code> | Wikipedia |
| <code>h_yacy()</code> | YaCi decentralized search engine |
| <code>h_yandex()</code> | Russian search engine |
| <code>h_yooz()</code> | Iranian search engine |
| <code>h_yt()</code> | Youtube videos |

New bookmarks are welcome. Please, submit new bookmarks !

Conclusion

RWsearch

- A comprehensive package with a unified syntax (inspired by pacman)
- Designed for task view maintainer
- Useful for every R user
- Best when loaded at start-up and used every day

Complementary packages

- Package **sos** to search for keywords at the function level `s_sos()`
- Package **collidr** for a **(package, function.name)** data.frame
- Both explore or display about 400.000 pages/lines

One request

- CRAN could update this **(package, function.name)** data.frame everyday



Thank you for your attention

patrice.kiener@inmodelia.com

Tél. : +33.9.53.45.07.38

